



Official Lane Maintenance and Capital Equipment Provider

DIRECT+ Conditioning System



ENVOY



AUTHORITY22

Pattern Information

Date: 1-Feb-16

Pattern Type: Competitive

Pattern Difficulty: Medium

Pattern Designer: Stian Olsen

Pattern Volume (ml): 22,47

Surface Information

Surface Type: []

Surface Brand: []

Age: []

Pattern Parameters

Pattern Number: 1

Pattern Name: NM Vet 2016

Mode: Clean & Oil

Forward Speed: Max Clean

Start Cleaner Spray: 0

Start Squeegee: 0

Start Oiling: 6

Split Pattern: No

Supplies Information

Lane Cleaner: Max20

Cleaner Mixture Ratio: 1

Cleaner Transition Distance: 42

Cleaner Spray End Distance: 53

Authority: 22

Envoy: []


Lane Conditioner

Brunswick Defy

Notes

Zone	1	2	3	4	5	6	7	8
Zone End Distance	8	16	22	27	32	39		
Zone Ratio	L 2,5 : 1 R 2,5 : 1	4,1 : 1 4,1 : 1	4,2 : 1 4,2 : 1	4,0 : 1 4,0 : 1	4,3 : 1 4,3 : 1	### : 1 ### : 1	### : 1 ### : 1	### : 1 ### : 1
Zone Volume (ml)	8,22	6,50	3,84	2,21	1,70	0,00	0,00	0,00

ZONE	7 Pin Side							Board Number														10 Pin Side																			
	L1	L2	L3	L4	L5	L6	L7	L8	L9	L10	L11	L12	L13	L14	L15	L16	L17	L18	L19	C20	R19	R18	R17	R16	R15	R14	R13	R12	R11	R10	R9	R8	R7	R6	R5	R4	R3	R2	R1		
1	25	25	25	25	30	60	65	73	73	81	81	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	81	81	73	73	65	60	30	25	25	25	25			
2	18	18	18	18	18	18	23	55	66	66	71	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	71	66	66	55	23	18	18	18	18	18	18	18		
3	14	14	14	14	14	14	16	43	51	51	55	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	55	51	43	16	14	14	14	14	14	14	14	14		
4	11	11	11	11	11	11	11	11	11	11	13	35	42	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	42	36	13	11	11	11	11	11	11	11	11		
5	8	8	8	8	8	8	8	8	8	10	27	33	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	33	27	10	8	8	8	8	8	8	8	8			
6																																									
7																																									
8																																									





ENVOY AUTHORITY 22

NM Vet 2016

Crosswise Ratios (by units)

Zone 1			Zone 2			Zone 3			Zone 4			Zone 5			Zone 6			Zone 7			Zone 8		
3L-7L	3R-7R	18L-18R	3L-7L	3R-7R	18L-18R	3L-7L	3R-7R	18L-18R	3L-7L	3R-7R	18L-18R	3L-7L	3R-7R	18L-18R	3L-7L	3R-7R	18L-18R	3L-7L	3R-7R	18L-18R	3L-7L	3R-7R	18L-18R
Left = 33.0	Right = 33.0	Center = 85.0	Left = 18.0	Right = 18.0	Center = 75.0	Left = 14.0	Right = 14.0	Center = 60.0	Left = 11.0	Right = 11.0	Center = 45.0	Left = 8.0	Right = 8.0	Center = 35.0	Left = 8.0	Right = 8.0	Center = 35.0	Left = 8.0	Right = 8.0	Center = 35.0	Left = 8.0	Right = 8.0	Center = 35.0
Average = 33.0	Average = 33.0	Average = 85.0	Average = 18.0	Average = 18.0	Average = 75.0	Average = 14.0	Average = 14.0	Average = 60.0	Average = 11.0	Average = 11.0	Average = 45.0	Average = 8.0	Average = 8.0	Average = 35.0	Average = 8.0	Average = 8.0	Average = 35.0	Average = 8.0	Average = 8.0	Average = 35.0	Average = 8.0	Average = 8.0	Average = 35.0
Ratio = 2.5	Ratio = 2.5	Ratio = 2.5	Ratio = 4.1	Ratio = 4.1	Ratio = 4.1	Ratio = 4.2	Ratio = 4.2	Ratio = 4.2	Ratio = 4.0	Ratio = 4.0	Ratio = 4.0	Ratio = 4.3	Ratio = 4.3	Ratio = 4.3	Ratio = 4.3	Ratio = 4.3	Ratio = 4.3	Ratio = 4.3	Ratio = 4.3	Ratio = 4.3	Ratio = 4.3	Ratio = 4.3	Ratio = 4.3

Crosswise Ratios (by ml)

Zone 1			Zone 2			Zone 3			Zone 4			Zone 5			Zone 6			Zone 7			Zone 8		
3L-7L	3R-7R	18L-18R	3L-7L	3R-7R	18L-18R	3L-7L	3R-7R	18L-18R	3L-7L	3R-7R	18L-18R	3L-7L	3R-7R	18L-18R	3L-7L	3R-7R	18L-18R	3L-7L	3R-7R	18L-18R	3L-7L	3R-7R	18L-18R
Left = 0.111	Right = 0.111	Center = 0.285	Left = 0.060	Right = 0.060	Center = 0.251	Left = 0.035	Right = 0.035	Center = 0.151	Left = 0.023	Right = 0.023	Center = 0.094	Left = 0.017	Right = 0.017	Center = 0.073	Left = 0.000	Right = 0.000	Center = 0.000	Left = 0.000	Right = 0.000	Center = 0.000	Left = 0.000	Right = 0.000	Center = 0.000
Average = 0.111	Average = 0.111	Average = 0.285	Average = 0.060	Average = 0.060	Average = 0.251	Average = 0.035	Average = 0.035	Average = 0.151	Average = 0.023	Average = 0.023	Average = 0.094	Average = 0.017	Average = 0.017	Average = 0.073	Average = 0.000	Average = 0.000	Average = 0.000	Average = 0.000	Average = 0.000	Average = 0.000	Average = 0.000	Average = 0.000	Average = 0.000
Ratio = 2.5	Ratio = 2.5	Ratio = 2.5	Ratio = 4.1	Ratio = 4.1	Ratio = 4.1	Ratio = 4.2	Ratio = 4.2	Ratio = 4.2	Ratio = 4.0	Ratio = 4.0	Ratio = 4.0	Ratio = 4.3	Ratio = 4.3	Ratio = 4.3	Ratio = 4.3	Ratio = 4.3	Ratio = 4.3	Ratio = 4.3	Ratio = 4.3	Ratio = 4.3	Ratio = 4.3	Ratio = 4.3	Ratio = 4.3

The crosswise ratios are calculated by the average units of oil for boards 18L - 18R and divided by the average units of oil for board 3 - 7 left and right.

