

SBN 304125



Oil Pattern Distance 41 **Reverse Brush Drop** 35 Oil Per Board 40 ul **Forward Oil Total** 18.36 mL **Reverse Oil Total** 6.76 mL **Volume Oil Total** 25.12 mL **Tank A Conditioner Tank B Conditioner Tank Configuration ALT**

	START	STOP	LOADS	SPEED	CROSSED	START	END	FEET	T.OIL
1	2L	2R	8	14	296	0.0	13.8	13.8	11840
2	8L	8R	5	14	125	13.8	23.7	9.9	5000
3	11L	11R	2	14	38	23.7	27.6	3.9	1520
4	2L	2R	0	18	0	27.6	41.0	13.4	0

	START	STOP	LOADS	SPEED	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	30	0	41.0	22.0	-19.0	0
2	12L	12R	5	18	85	22.0	9.3	-12.7	3400
3	10L	10R	4	14	84	9.3	1.4	-7.9	3360
4	2L	2R	0	14	0	1.4	0.0	-1.4	0

Cleaner Ratio Main Mix

Cleaner Ratio Back End Mix

Cleaner Ratio Back End Distance

NA

Combined

Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100

 Item
 3L-7L:18L-18R
 8L-12L:18L-18R
 13L-17L:18L-18R
 18L-18R:17R-13R
 18L-18R:12R-8R
 18L-18R:7R-3R

 Description
 Outside:Middle
 Middle:Middle
 Inside:Middle
 Middle:Inside
 Middle:Middle
 Middle:Outside

 Track Zone Ratio
 3
 1.4
 1
 1
 1.4
 3



